



**Bid Bulletin No. 1**  
**14 June 2023**

**PUBLIC BIDDING NO. 23-026-1**

**SUPPLY AND DELIVERY OF FLOOR WAX  
 FOR THE PROCUREMENT SERVICE (PS)**

This was issued pursuant to Section 22.5 of the IRR of R.A. 9184 to clarify and/or amend certain provisions in the Bidding Documents issued for this project.

**A. AMENDMENT**

<b>SECTION VII. TECHNICAL SPECIFICATIONS</b>		
<b>ITEM NO.</b>	<b>REFERENCE</b>	<b>BASES FOR AMENDMENT</b>
1.	<p><b>Page 35</b></p> <p>Technical Requirements for  <b>FLOOR WAX, PASTE TYPE, RED</b></p> <p>xxx</p> <ul style="list-style-type: none"> <li>Two (2) samples and <u>one (1) empty can</u> with marking/labeling shall be provided by the bidder during the submission of additional post-qualification documents for verification of the product specifications.</li> </ul> <p>xxx</p>	<p>Please refer to the attached Annex "A" for the updated Technical specification.</p>

By Rules, all other related provisions in the Bidding Documents correspondingly affected by these amendments are likewise deemed amended to conform to this Bid Bulletin.

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.

**SIGNATURE REDACTED**

**KARL MICHAEL R. ESPEJO**

*Chairperson, Bids and Awards Committee I*

*For the purpose of this Bulletin and for better understanding of its contents, the following rules shall apply: (a) ~~Double Strike-out~~ – denotes deletion; (b) Underline – denotes inclusion or new item/requirement; and "xxx" – denotes separation of phrase/s being amended from the rest of the main text.*

# ANNEX "A"

PS STANDARD No. JS 008:2023  
UNSPSC Code: 47131802-FW-P03


## Technical Requirements for FLOOR WAX, PASTE TYPE, RED

### PRODUCT SPECIFICATIONS

- Paste Type
- Color: Red
- Petroleum based
- Application: for wood and cemented surfaces
- Net Weight (min.): 450 grams
- Physical Properties:
  - Drying Time (max.): One (1) hour on a wood surface
  - Abrasiveness: No evidence of abrasive matter
  - Non-Volatile Matter, %w (min.): 17%

### EVIDENCE AND VERIFICATION

- **Documentary Evidence:**
  - Valid FDA Certificate of Product Registration/Product Notification from the manufacturer
  - Valid FDA Certificate of License to Operate (LTO) from the manufacturer
  - Valid test report from a Government Accredited Testing Center
- **Government Accredited Testing Center or Reputable Testing Institutions, such as, but not limited to, SGS, Intertek, Chempro Analytical Services Laboratories, Inc.:**
  - Valid test report showing compliance to the following parameters:
    - Physical Properties:
      - Drying Time (max.): One (1) hour on a wood surface
      - Abrasiveness: No evidence of abrasive matter
      - Non-Volatile Matter, %w (min.): 17%
- **In-House Test:**
  - Paste Type
  - Color: Red
  - Petroleum based
  - Application: for wood and cemented surfaces
  - Net Weight (min.): 450 grams
- Two (2) samples and one (1) empty can with marking/labeling shall be provided by the bidder during the submission of additional post-qualification documents for verification of the product specifications.



#### PACKAGING

---

- Individually packed in can
- Additional Requirement on Packaging, refer to the attached Annex "A"

#### MARKING / LABELING

---

- Shall conform with the Consumer Act of the Philippines (R.A. 7394)

#### REFERENCES

---

- *PNS 1059:1992 for the Drying Time, Abrasiveness and Non-volatile matter*

Handwritten initials and marks in blue ink, including "C/S", "V", and "R".