



Bid Bulletin No. 1 19 September 2023

PUBLIC BIDDING NO. 23-100-1

SUPPLY AND DELIVERY OF FLOOR WAX FOR THE PROCUREMENT SERVICE

Issued pursuant to Sec. 22.5 of the IRR of R.A. 9184 to clarify and/or amend certain provisions in the Bidding Documents issued for this project, considering the issues raised and clarifications made by prospective bidders during the Pre-bid Conference held on 12 September 2023.

A. **AMENDMENTS/INCLUSIONS**

I. SECTION VI. SCHEDULE OF REQUIREMENTS

NO	REFERENCE	BASES FOR AMENDMENT	
	Page 32 SECTION VI. SCHEDULE OF REQUIREMENTS	To amend the requirement to give the bidder ample time to deliver the item.	
1	xxx 2. Delivery Period: c. Within Ten (10) Fifteen (15) calendar days (CD) upon receipt of Call-Off xxx	Please refer and use Appendix "1" for compliance with the Schedule of Requirements.	

II. SECTION VII. TECHNICAL SPECIFICATION

NO	REFERENCE	BASES FOR AMENDMENT
	Page 35 Technical Requirement for Floor Wax, Paste Type, Red	
	EVIDENCE AND VERIFICATION XXX	
2	Documentary Evidence: XXX Valid test report from a Government Accredited Testing Center Valid test report from a government laboratory testing center or government accredited private laboratory testing center or third party laboratory testing center. In case there is no available	To amend Section VII. Technica Specification for Evidence and Verification. Please refer and use Appendix "2".
	government laboratory center or the required testing method is not available, the test may be conducted	





by a government accredited private testing center; or if still not available, by a third party laboratory testing center. Valid test report compliance to the

- showing following parameters:
 - Physical Properties:
 - o Drying Time (max.): One (1) hour on a wood surface
 - Abrasiveness: No evidence of abrasive matter
 - Non-Volatile Matter, %w (min.): 17%

XXX

XXX

XXX

Page 35

Technical Requirement for Floor Wax, Paste Type, Red

XXX

EVIDENCE AND VERIFICATION

XXX

Government Accredited Testing Center or Reputable Testing Institutions, such as, but not limited to, SGS, Intertek, Chempro Analytical Services Laboratories, Inc.: A Confirmatory Test during delivery from a government laboratory testing center or government accredited private laboratory testing center or third party laboratory testing center. In case there is no available government laboratory center or the required testing method is not available, the test may be conducted by a government accredited private testing center; or if still not available, by a third party laboratory testing center.

To amend Section VII. Technical Specification for Evidence and Verification.

Please refer and use Appendix "2".

3

XXX XXX



	Page 36 Technical Requirement for Floor Wax, Paste Type, Red	
4	MARKING / LABELING • Shall conform with the Consumer Act of the Philippines (R.A. 7394) Shall conform with the minimum Marking and Labeling Requirements under Article 77 of Republic Act 7394 (Consumer Act of the Philippines) whichever is/are applicable among those requirements to this item.	To amend Section VII. Technical Specification for Marking/Labeling Please refer and use Appendix "2".

For the purpose of this Bulletin and for better understanding of its contents, the following rules shall apply: (a) double Strikeout – denotes deletion; (b) Underline – denotes inclusion or new item/requirement; and "xxx" – denotes separation of phase/s being amended from the rest of the main text

B. CLARIFICATION

ITEM	CONCERN	REFERENCE	CLARIFICATION/ RESOLUTION			
	Clarification during Pre-Bid Conference 1					
1	A prospective bidder requested if the delivery period can be adjusted to twenty (20) CD.	Page 32 Section VI. Schedule of Requirements	Please refer to Amendment No.1			
2	A prospective bidder inquired if the sticker is on the packaging of the sample.	Page 37 to 39 Annex A - Additional Requirement on Packing Note Sticker Design and Dimension	The BAC hereby clarifies that the Annex A Note Sticker Design and Dimension shall be complied with during the contract implementation.			

By Rules, all other related provisions in the Bidding Documents correspondingly affected by these amendments are likewise amended to conform to this Bid Bulletin.

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.

SIGNATURE REDACTED

KARL MICHAEL R. ESPEJO

Chairperson, Bids and Awards Committee I

¹ Pre-Bid Conference Conducted on 12 September 2023.

FRAMEWORK AGREEMENT LIST (Indicative Call-Off Schedule)

ITEM DESCRIPTION: Floor wax, Paste Type, Red				
MAXIMUM QUANTITY: 27,431 cans				
ITEM NO.	DELIVERY PERIOD AND DELIVERY SITES			
1	 Delivery Sites: a. PS Warehouse, PS Complex, RR Road Cristobal St., Paco, Manila b. Direct Delivery to End-User Agencies within Metro Manila; PS-DBM Pampanga Hub, Regional Government Center Maimpis, San Fernando City, Pampanga; Antipolo, Rizal; and Imus, Cavite 			
7	 Delivery Period: c. Within Fifteen (15) calendar days (CD) upon receipt of Call-Off 			
	3. The exact quantity will be determined for each Call-Off.			

Note: Suppliers are advised to maintain revolving stocks of at least 10% of the undelivered quantity up to the last tranche prior to exhaustion.

I hereby commit to delivering the required quality and quantities upon receipt of the Call-Off as indicated above.

Name of Company	Signature Over Printed Name of	Date
	Authorized	
	Representative	



Appendix 2

PS STANDARD No. <u>JS 008:2023</u> UNSPSC Code: 47131802-FW-P03

Technical Requirements for

FLOOR WAX, PASTE TYPE, RED

PRODUCT SPECIFICATIONS

- Paste Type
- · Color: Red
- Petroleum based
- · Application: for wood and cemented surfaces
- Net Weight (min.): 450 grams
- Physical Properties:
 - o Drying Time (max.): One (1) hour on a wood surface
 - o Abrasiveness: No evidence of abrasive matter
 - o Non-Volatile Matter, %w (min.): 17%

EVIDENCE AND VERIFICATION

- Documentary Evidence:
 - o Valid FDA Certificate of Product Registration/Product Notification from the manufacturer
 - o Valid FDA Certificate of License to Operate (LTO) from the manufacturer
 - Valid test report from a government laboratory testing center or government accredited private laboratory testing center or third party laboratory testing center. In case there is no available government laboratory center or the required testing method is not available, the test may be conducted by a government accredited private testing center; or if still not available, by a third party laboratory testing center.
 - Valid test report showing compliance to the following parameters:
 - Physical Properties:
 - o Drying Time (max.): One (1) hour on a wood surface
 - o Abrasiveness: No evidence of abrasive matter
 - o Non-Volatile Matter, %w (min.): 17%
- A Confirmatory Test during delivery from a government laboratory testing center or
 government accredited private laboratory testing center or third party laboratory testing center.
 In case there is no available government laboratory center or the required testing method is not
 available, the test may be conducted by a government accredited private testing center; or if
 still not available, by a third party laboratory testing center.
 - o Valid test report showing compliance to the following parameters:
 - Physical Properties:
 - Drying Time (max.): One (1) hour on a wood surface

1 Technical Requirements for Floor wax, paste type, red

NO NE OF JUDO NO

- Abrasiveness: No evidence of abrasive matter
- Non-Volatile Matter, %w (min.): 17%
- In-House Test:
 - o Paste Type
 - o Color: Red
 - o Petroleum based
 - Application: for wood and cemented surfaces
 - o Net Weight (min.): 450 grams
- Two (2) samples and one (1) empty can with marking/labeling shall be provided by the bidder during the submission of additional post-qualification documents for verification of the product specifications.

PACKAGING

- Individually packed in can
- · Additional Requirement on Packaging, refer to the attached Annex "A"

MARKING / LABELING

 Shall conform with the minimum Marking and Labeling Requirements under Article 77 of Republic Act 7394 (Consumer Act of the Philippines) whichever is/are applicable among those requirements to this item.

REFERENCES

PNS 1059:1992 for the Drying Time, Abrasiveness and Non-volatile matter

2 Technical Requirements for Floor wax, paste type, red

NO JES OUS DE OF MAY