

North – South Commuter Railway (NSCR) Project (Malolos – Tutuban) Package CP01: Elevated Structures and 7 Stations		
ITEM NO.	REFERENCE CLAUSE/SECTION	REVISIONS/AMENDMENTS
<i>Volume IA, Part 1 – Bill of Quantities</i>		
1	Section IV, Page BOQ-14, item 206 (10)a	Blinding Layer Concrete/Lean Concrete, 20 MPa for Bridge and Viaduct, <u>including below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>
2	Section IV, Page BOQ-131, item 206 (10)b	Blind Layer Concrete/Lean Concrete 15 MPa for Earth Retaining System (GRS method), <u>including below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>
3	Section IV, Pages BOQ-134 and 144, item 206 (10)c	Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, <u>including below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>
4	Section IV, Page BOQ-144, item 206 (10)d	Blind Layer Concrete/Lean Concrete 15 MPa for Structure in Depot (except Detention Basin), <u>including below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>
5	Section IV, Page BOQ-145, item 206 (10)e	Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, <u>including below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>
6	Section IV, Pages BOQ-23, 40, 56, 71, 86, 102, 117, 158, 172, 185, 196, 203, 211, 217, 217, 222, 227, 232, 237, 241, 244, 247, 250, 256, 261, 268, 275, 281, 285, 289, 297, 304, 311, 317, 319, 327, 335, 343, 352, 361, 370, item 405(16)	Blind Layer Concrete/ (Lean Concrete) , 15 MPa <u>for Drainage Channel in Main Line and Depot, Including Compacted Sand Layer (t=150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>
<i>Volume II, Part 2 – Work Requirements</i>		

North – South Commuter Railway (NSCR) Project (Malolos – Tutuban)																				
Package CP01: Elevated Structures and 7 Stations																				
ITEM NO.	REFERENCE CLAUSE/SECTION	REVISIONS/AMENDMENTS																		
7	Section VI, TS 200 Page 180 Clause 206.17.2 Basis of Payment	<p style="text-align: center;">xxx</p> <p>In addition, payment for precast concrete members shall be considered to be full compensation for the cost of all other items embedded in the member and for the erection of the members except for all reinforcing steel and prestressing material embedded in the precast members which shall be paid for under other bid items in the contract documents.</p> <p><u>The Quantities of the Blind Layer Concrete/Lean Concrete in items 206(10)a, 2016(10)b, 206(10)c, 2016(10)d, 206(10)e below include only concrete. The underlying layers are considered incidental to the Work.</u></p>																		
8	Section VI, TS 200, Page TS200-181 Clause 206.17.2, Table for Blinding Layer Concrete / Lean Concrete	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: left;">Blinding Layer Concrete / Lean Concrete,</th> </tr> </thead> <tbody> <tr> <td style="width: 10%; text-align: center;">206 (10)a</td> <td>Blinding Layer Concrete/Lean Concrete, 20 MPa for Bridge and Viaduct, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</td> <td style="text-align: center;">Cubic Meters</td> </tr> <tr> <td style="text-align: center;">206 (10)b</td> <td>Blind Layer Concrete/Lean Concrete 15 MPa for Earth Retaining System (GRS method), including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</td> <td style="text-align: center;">Cubic meter</td> </tr> <tr> <td style="text-align: center;">206(10)c</td> <td>Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</td> <td style="text-align: center;">Cubic meter</td> </tr> <tr> <td style="text-align: center;">206(10)d</td> <td>Blind Layer Concrete/Lean Concrete 15 MPa for Structure in Depot Detention Basin, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</td> <td style="text-align: center;">Cubic meter</td> </tr> <tr> <td style="text-align: center;">206(10)e</td> <td>Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</td> <td style="text-align: center;">Cubic meter</td> </tr> </tbody> </table>	Blinding Layer Concrete / Lean Concrete,			206 (10)a	Blinding Layer Concrete/Lean Concrete, 20 MPa for Bridge and Viaduct, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic Meters	206 (10)b	Blind Layer Concrete/Lean Concrete 15 MPa for Earth Retaining System (GRS method), including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter	206(10)c	Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter	206(10)d	Blind Layer Concrete/Lean Concrete 15 MPa for Structure in Depot Detention Basin, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter	206(10)e	Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter
Blinding Layer Concrete / Lean Concrete,																				
206 (10)a	Blinding Layer Concrete/Lean Concrete, 20 MPa for Bridge and Viaduct, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic Meters																		
206 (10)b	Blind Layer Concrete/Lean Concrete 15 MPa for Earth Retaining System (GRS method), including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter																		
206(10)c	Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter																		
206(10)d	Blind Layer Concrete/Lean Concrete 15 MPa for Structure in Depot Detention Basin, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter																		
206(10)e	Blind Layer Concrete/Lean Concrete 15 MPa for Drainage Channel in Main Line and Depot, including compacted sand layer (150mm) below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings	Cubic meter																		

North – South Commuter Railway (NSCR) Project (Malolos – Tutuban) Package CP01: Elevated Structures and 7 Stations												
ITEM NO.	REFERENCE CLAUSE/SECTION	REVISIONS/AMENDMENTS										
9	Section VI, TS 400, Page TS400-86, Clause 405.9.2 Basis of Payment	xxx										
		<p>Payment shall consist full compensation of furnishing, placing and finishing concrete including all labor, tools and incidentals such as fromwork, any other not indicated BOQ items on the drawing necessary to complete the work prescribed in the item.</p> <p><u>The Quantities of the Blind Layer Concrete/Lean Concrete in item 405(16) below include only concrete. The underlying layers are considered incidental to the Work.</u></p>										
10	Section VI, TS 400, Page TS400-89, Clause 405.9.2	xxx										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Pay Item Number</th> <th style="width: 65%;">Description</th> <th style="width: 20%;">Unit of Measurement</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;">xxx</td> </tr> <tr> <td style="text-align: center;">405(16)</td> <td>Blinding Concrete (Lean Concrete), 15 Mpa including compacted sand layer (150mm) <u>below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u></td> <td style="text-align: center;">Cubic Meter</td> </tr> </tbody> </table>		Pay Item Number	Description	Unit of Measurement	xxx			405(16)	Blinding Concrete (Lean Concrete), 15 Mpa including compacted sand layer (150mm) <u>below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>	Cubic Meter
Pay Item Number	Description	Unit of Measurement										
xxx												
405(16)	Blinding Concrete (Lean Concrete), 15 Mpa including compacted sand layer (150mm) <u>below layers' ground treatment such as sand, hard core, gravel layer either stipulated on the drawings</u>	Cubic Meter										